# AUTHOR INDEX, VOLUME NINE

AGERER, R. A new combination in the genus *Flagelloscypha* and a contribution to the identity of *Cyphella peckii* 464-468
BARR, MARGARET E. On the Massariaceae in North America 17-37
BARROWS, CHARLES, *see* PATRICK & BARROWS
BIGELOW, HOWARD E. Notes on *Fayodia* ss. lato 38-47
DANIELSON, R. M. Hypogeous ascomycetes in Alberta, Canada with two new North American records 445-450
DURRIEU, GUY. Urédinales nouvelles de l'Himalaya 482-492
ESCOBAR, GUSTAVO A., *see* McCABE & ESCOBAR
ESCOBAR, GUSTAVO A. & DENNIS E. McCABE. *Limoperdon*, a cyphellaceous fungus with gasteroid basidia? 48-50
GILBERTSON, R. L. The genus *Phellinus* (Aphyllophorales: Hymenochaetaceae) in western North America 51-89
GOTELLI, DAVID. Synaptonemal complexes in the gametangia of *Sapromyces androgynus* (Leptomitales, Oomycetes) 90-92
GRUND, DARRYL W. New and interesting taxa of *Russula* Pers. *ex* S.F. Gray occurring in Washington State 93-113
HEBLACK, RUSSELL K., *see* STEWART & HEBLACK
HJORTSTAM, KURT & LEIF RYVARDEN. Notes on Corticiaceae (Basidiomycetes) IV 505-519
HOSFORD, DAVID RAMON. Daniel E. Stuntz - A distinguished professor and friend 3-16
HOSFORD, DAVID R., *see* OLIVER & HOSFORD
KOHN, LINDA M. A monographic revision of the genus *Sclerotinia* 365-444
KOHN, LINDA M., *see* KORF & KOHN
KORF, RICHARD P. & LINDA M. KOHN. Later starting point blues. I. *Monilia fructigena* 521-522
LARGENT, DAVID L. Neotype selection for *Agaricus asprellus* 114-116
LARGENT, DAVID L. The contributors and Daniel Stuntz 243
LENNOX, JOANNE WILLIAMS. Collybioid genera in the Pacific Northwest 117-231
LIBONATI-BARNES, SUSAN D. *Filoboletus propullans*, a new poroid agaric from Panamá 232-238
MARR, CURRIE D. Laccase and tyrosinase oxidation of spot test reagents 244-276
McCABE, DENNIS E., *see* ESCOBAR & McCABE
McCABE, DENNIS E. & GUSTAVO A. ESCOBAR. *Chrysoconia*, a gasteroid member of the Coniophoraceae 239-242
MORGAN-JONES, G., *see* SINCLAIR & MORGAN-JONES
OLIVER, DENNIS M. & DAVID R. HOSFORD. Two new species and new records of *Tulostoma* from the Pacific Northwest 277-284
PATRICK, W. W., JR. & CHARLES BARROWS. Western fungi: a New Mexico *Psathyrella* in the *Cystidiosae* of subgenus *Homophron* 493-500
PETERSEN, RONALD H. Notes on mycological history. I. M.A. Curtis vs. a national herbarium 459-463
PFISTER, DONALD H. Type studies in the genus *Peziza*. VIII-X. Species described by G. Massee, E.K. Cash, and F.J. Seaver 501-504
RYVARDEN, LEIF, *see* HJORTSTAM & RYVARDEN
SINCLAIR, R. C. & G. MORGAN-JONES. Notes on hyphomycetes. XXXII. Five new aquatic species 469-481
SMITH, ALEXANDER H. The stirps *Cohaerens* of *Marasmius* 341-347
STEWART, ELWIN L. & RUSSELL K. HEBLACK. Hypogeous fungi of Minnesota: *Genea anthracina* sp. nov. 451-458
THIERS, HARRY D. The genus *Suillus* in the western United States 285-296

TRAPPE, JAMES M. The orders, families, and genera of hypogeous Ascomycotina (truffles and their relatives) 297-340
VAN DE BOGART, FRED. The sections of *Coprinus* present in the western United States 348-357

## ERRATA, VOLUME SEVEN

Page 147, lines 15, 31, 34, 41: *for* TFMC *read* TFC
148, line 10: *for* TFMC *read* TFC
482, lines 25, 30: *for* TFMC *read* TFC
491, lines 6, 24: *for* TFMC *read* TFC

## ERRATA, VOLUME EIGHT

Page 323, line 2: *for* ITALY *read* SWITZERLAND
327, line 37: for *Italy* read *Switzerland*
430, line 41: *for* defunked *read* defunct
503, line 5: *for* Italy *read* Switzerland
521, line 20: for *Calonectroa* read *Calonectria*
563, line 53: *for* No. 2: *read* No. 3:

## ERRATA, VOLUME NINE

Page 482, line 7: for *Coleoporium* read *Coleosporium*
line 9: for *heracleinepalensis* read *heraclei-nepalensis*

## REVIEWERS

The Co-Editors and Guest Editors express their appreciation to the following individuals who have reviewed one or more of the papers in this volume prior to publication.

R. J. BANDONI
A. BRESINSKI
H. H. BURDSALL, JR.
J. L. CRANE
V. DEMOULIN
J. ERIKSSON
R. T. HANLIN
K. A. HARRISON
D. R. HOSFORD
D. L. LARGENT
H. J. LARSEN, JR.
J. P. LINDSEY
O. K. MILLER, JR.
C. T. ROGERSON
A. Y. ROSSMAN
R. L. SHAFFER
A. H. SMITH
E. L. STEWART
J. M. TRAPPE
G. VIENNOT-BOURGIN
R. WATLING

## PUBLICATION DATES FOR MYCOTAXON

Volume 8, No. 2: April 21, 1979
Volume 9, No. 1: June 12, 1979

# INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME NINE

This index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa are in CAPITALS, and the pages where they are published are in *italics*. New suprageneric taxa are in *ITALIC CAPITALS*. The special "Stuntz Festschrift" number is separately indexed (pp. 358-364), as also is Kohn's monographic treatment of *Sclerotinia* (pp. 442-444); references to these indices are indicated by the notation "*see*."


Acrocordia 34
Acrosporium fructigenum 408, 521
Agalospora *see* 358
Agaricus *see 358;* butyraceus 219; cirrhatus 193; extuberans 222; maculatus v scorzonerus 214; racemosus 191; tuberosus 197
Aldrigea 509
Aleurina aquehongensis 503; stipitata 502, 503
Aleurodiscus 514
Amanita *see* 358
Amphisphaeria *see* 358; pelospora 34
Amphobotrys ricini 425
Amylascus *see* 358
Anguillospora 476, 477
Armillaria 119
Ascoscleroderma *see* 358
Asteromassaria 27
Asterostomella 21
Athelia 514

Baeospora *see* 358
Balsamia *see* 358
Barlaea subaurantiaca 502
Barssia *see* 358; YEZO-MONTANA 297, 323, *336*
Boletus *see* 358
Botryotinia *see* 442
Botrytis *see* 442

Calyptella faginea 466
Callistosporium *see* 358; GRAMINICOLOR 148, 150, *152*
Calvatia 253
Cantharellula subg Neocantharellula 157
Cantharellus *see* 358
Carbomyces *see* 358
Caryospora *see* 358
Caulocarpa 316
CAULORHIZA 117, 125, 128, 129, 131, *154;* UMBONATA 150, *154*, 155
Chaetocypha parasitica 464
Choiromyces *see* 358; ABORIGINUM 297, 320, *334*, 335
CHRYSOCONIA 239, *240;* ORTHOSPORA 239, *240*, 241
Ciboria *see* 442
Ciborinia *see* 442; CAMELLIAE 375, *399*
Cladosphaeria *see* 359
Clavulina cristata 253
Clavulinopsis fusiformis 253
CLELANDIA 317, *331;* ARENACEA 297, 317, *331*
Clitocybe *see* 359
Clitocybula *see* 359
Clitopilopsis 134
Coenococcum 448
Coleosporium 483, 484; cacaliae 483; campanulae 483; miteri 484; NEPALENSE 482, *483*, 484
Collybia *see* 359; stirps Butyracea 218; stirps Maculata 200; cirrhata v cookei 194; maculata v immutabilis 215; v occidentalis 217; olympiana 137; subsulcatipes 201; umbonata 154
Collybidium 170
Coprinus *see* 359; sect SETULOSI 349, 350, *354*, 356; subsect Setulosi 355
Coriolus *see* 359
Corticium flavido-griseum 515; inopinatum 516; pruinosum 515; pulverulentum 515
Cortinarius *see* 359
Crinipellus 120
Cronartium ribicola 482
Cryptoderma leucosperma 19
Cyphella candida 466, 468; faginea 466, 468; parasitica 464; peckii 464, 466-468
Cystoderma 341

Daedalea pini 70
Delastria *see* 359
Delastriopsis phlebodermum 337
Densocarpa 320
Diatrype angulare 26, 27
DINGLEYA 314, 315, *331;* VERRUCOSA 297, 314, *331*, 333
Discinella 502
Dothivalsaria *see* 360
DUMONTINIA 365, 370, 372, 375, 378, *432;* TUBEROSA 375, 376, 383, 413, 430, *432*-434.

Elaphomyces *see* 360, 449, 450; subg ASCOSCLERODERMA 297, 313, *336;* granulatus 449, 450; v granulatus 445, 449; leveillei 445, 447, 448, 450; muricatus 445, 449; v muricatus 449
*ELAPHOMYCETALES* 297, 312, *330*
Elderia 320, 335
ELLIOTTINIA 365, 377, *415*, 432; KERNERI *415*
Entoloma 252
Epidochium *see* 442

Fayodia *see* 360; ALUTACEA *39*, 41, 46
Flagelloscypha 464, 466, 468; applanata 466; faginea 464, 466-468; flagellata 466; kavinae 464; PARASITICA *464*-467; punctiformis 468; virginea 466
Flammulina *see* 360
Filoboletus *see* 360; PROPULLANS 232, *233*,

236, 237
Fischerula *see* 360
Fomes *see* 360
Fomitoporia prunicola 73; weirii 87
Fuligo 461

Galzinia 515; incrustans 515
Genabea *see* 360, 451
Genea *see* 360, 451, 452, 454; ANTHRACINA 451, *452*-458; gardneri 453; KRASPEDOSTOMA 297, 322, *336*; thaxteri 453, 454
*GENEACEAE* 297, 324, *330*
Geopora 298, 319; clausa ssp californica 446; ssp clausa 445-447; f clausa 445-447; f ellipsospora 446; cooperi 319; f gilkeyae 445, 446
Geopyxis 321; pocula 393
Gloeocystidiellum 514
Gloeoporus dichrous 253
Gloeosporium 484
Gloeotinia *see* 442
Grifola frondosa 251
Gymnopus *see* 360; trullisatus 179

Halocyphina 49
Hebeloma 138
Helotium sclerotiorum 378, 383
Helvella astieri 313
Hemicollybia 132
Hericium ramosum 252, 254
Heteroscypha 466
Heterosporula 38
Hirneola 134
Hirschioporus pargamenus 253
Hydnobolites *see* 360
Hydnocystis *see* 360
Hydnotrya *see* 360; ellipsospora 336
Hydnotryopsis *see* 360
Hygrophorus *see* 360
Hymenoscypha *see* 442
Hymenoscyphus *see* 442, 502
Hyphoderma 507, 511, 514; argillaceum 507; deserticola 513; INVOLUTUM *505*-507; luridum 513
Hyphodontia 514; crustosa 515; pruni 515
Hypholoma capnoides 254
Hypochnella 509
Hypomyces lactifluorum 252
Hypsizygus marmoreus 253

Inocybe *see* 360
Inonotus glomeratus 63
Ischnoderma resinosum 253

Jaapia 241
Jafnea fusicarpa 501
Julella luzonensis 32

Labyrinthomyces *see* 361; VARIUS 297, 308, 320, *336*
Laccaria ochropurpurea 254
Lachnea tomentosa 502
Lachnella 464; filicina 468; parasitica 464
Lactarius *see* 361
Lactocollybia 121
Laetiporus sulphureus 254
Lambertella *see* 442
Lanzia *see* 442
Lemonniera 471; ALABAMENSIS *469*-472; centrosphaera 471; pseudofloscula 471, 472
Lepista 43, 135, 136
Leptonia *see* 361
Leptosphaeria *see* 361
Leptosphaerulina 20
Lespiaultinia 328, 329
Limnoperdon *see* 361
Litschaurella 513; clematidis 514
Lophiostoma macrosporum 33
Lyophyllum *see* 361

Macroscyphus tuberosus 430
Marasmius *see* 361; LEIGHII 343, *344*, 346
Martininia 377
Massaria *see* 361
Massariella xanthoxyli 30
Massariovalsa *see* 361
Melampsora ribesii-epitaea 482; RIBIS *482*
Melanoleuca 43
Melanomma sulcata 24
Merisma 461
Merulius tremellosus 253
Metulodontia 509; cremeo-alutacea 509; nivea 509; queletii 509; roumegueri 509
MICROCOLLYBIA 117, 121, 124-127, 132, *187*, 190; CIRRHATA 188, 190, 192, *193*, 196, 198; COOKEI 188, 190, *194*, 195, 196; RACEMOSA 188, 190, *191*, 192; TUBEROSA 187, 188, 190, 195, *196*
Microstoma *see* 442
Mitrula sclerotiorum 378
Moellerodiscus 399, 413
Monilia *see* 442; fructigena 521, 522
Monilinia *see* 443; fructigena 521
Mucidula 119
Mucronoporus everhartii 60
Mukagomyces *see* 361; hiromichii 336
Mycena *see* 361
Mycenella 43
Mycocentrospora 474, 476, 477; acerina 474; angulata 474; aquatica 474, 476; clavata 474; filiformis 474, 476; VARIANS 469, *472*-474, 476
Myrioconium *see* 443
Myriosclerotinia *see* 443
Myrmaecium megalosporum 26
Myrmecocystis 451
Myxocollybia 120, 170
Myxomphalia *see* 361

Nothojafnea 503; cryptotricha 503; thaxteri 503

Obstipispora 469; chewaclensis 469
Octospora tuberosa 429, 430
Oidium fructigenum 521, 522; laxum 416
Omphaliaster 43
Omphalina striatula 42
Ostreichnion *see* 361
Oudemansiella *see* 361
Ovularia 417, 425
Ovulinia *see* 443

Pachyella adnata 504
Pachyphloeus *see* 361
Panellus *see* 361
Paradoxa *see* 361
Parmentaria astroidea 27
Paurocotylis *see* 361
Peltigera 42
Peniophora subg Scopuloides 509; sect Scopuloides 509; hydnoides 509; inopinata 519; involuta 505; lauta 505, 511, 513; longicystidia 507; praeterita 515; ralla 514
Perenniporia subacida 254
Petchiomyces *see* 362; kraspedostoma 336
Peziza *see* 362, *see* 443, 501-504; alaskana 502; atrovinosa 502; badia 502, 503; brunneo-atra 502; concentrica 503; ELLIPSOSPORA 297, 308, 314, 316, *336*; kerneri 414, 415; martialis 501; melaleucoides 503, 504; morgani 501; nana 501; ostracoderma 503; plicata 502; pseudoclypeata 504; retiderma 502, 503; retispora 502; saccardoiana 502; STUNTZII 297, 316, 333, *335*; subaurantiaca 502; thaxteri 503; tomentosa 502; tuberosa 429-432; vesiculosa 503; waltersii 504
Phaeocollybia kauffmannii 156
Phaeoscherotinia 422
Phaeosclerotinia *see* 443
Phellinus *see* 362; PRUNICOLA 51, 53, *73*, 75; SONORAE 51, 53, *77*-79
Phialea *see* 443
Phillipsia 501, 502; minor 501
Phlebia 507, 509; LONGICYSTIDIA 505, *507*, 508, 518; vaga 515
Phlebiella 515
Pholiota *see* 362
Phoma 27
Phylloporia 76
Phymatomyces *see* 362; yezo-montanus 297, 323, 336
Picoa *see* 362
Piersonia 301
Platystomum macrosporum 33
Pleamphisphaeria *see* 362
Pleospora 32
Pleuropus roseiavellaneous 140
Pleurotus ostreatus 253
Pluteospora 134
Poculum 408, 418, 428
Polyporus *see* 362
Poria *see* 362
Poromycena 232
Psathyrella 493, 494, 499; subg Homophron 493, 499; subg Pannucia 499; sect Cystidiosae 493, 499; sect Homophron 495; sect Pannucia 495; stirps Minutisperma 499; ACULEATA 493, *495*, 499, 500; carbonicola 495, 499; pennata 499; solitaria 499; stuntzii 495, 499, 500
Pseudoanguillospora 476, 477; GRACILIS 469, *474*, 475, 477; stricta 477
Pseudobalsamia 323
Pseudohiatula 121, 174
Pseudohydnum gelatinosum 255
Pseudovalsa *see* 362
Pseudovalsaria occulta 29
Puccinia 484, 487, 489; ANNAPURNAE 482, 490, *491*; atragenicola 487; caricis 488; clavata 487; COMMELINAE 482, *484*, 486; corteyi 491; heraclei 489; heracleicola 491; HERACLEI-NEPALENSIS 482, *489*, 490; MALLAE 482, *485*, 486; MANANGENSIS 482, 486, *487*; nitidula 491; PILEARUM 482, 486, *488*; sibirica 491; urticae 488; wattiana 485-487
Pycnopeziza 377
Pyramidospora casuarinae 479; constricta 479; densa 479; fluminea 479; herculiformis 479; ramificata 479; STELLATA 469, *477*-479
Pyrenophora 20
Pyropolyporus *see* 362
Pythium 90

Ramaria *see* 362
Repetobasidium 515
Rhacodiella *see* 443
Rhizopogon rubescens 449
Rhodoarrhenia *see* 362
Rhodocollybia *see* 362-363; sect BUTYRACEA 200, *218*; sect MACULATA *200*; BADIALBA 219, 222, *224*, 227; BUTYRACEA 218, *219*-222; EXTUBERANS 218, *222*, 224, 225, 228; maculata v FULVA 201, *210*; 212; v IMMUTABILIS 201, *215*; v NIGRA 201, 208, *211*; v. OCCIDENTALIS 201, 212, 216, *217*; v SCORZONERIA 201, *214*, 216; OREGONENSIS 126, 200, *202*, 205, 206; SUBNIGRA 201, *206*, 212; SUBSULCATIPES 200, *201*, 202
Rhodocybe *see* 363; sect ECHINOSPORAE *136*; OLYMPIANA 127, *137*, 142; striatula 42
Rhodopaxillus nitellinus 139
Rhodophyllus 135
Russula *see* 363; rosacea v MACROPSEUDOCYSTIDIATA 93, *101*, 104, 112; STUNTZII 93, *97*, 99-101; VIRIDOFUSCA 93, *94*, 96, 97, 108
Rutstroemia *see* 443

Saccothecium 27
Sapromyces, *see* 363
Sarcoscypha protracta 369
Sarcosphaera *see* 363
Scleroderma 313
Scleromitrula *see* 443
Sclerotinia *see* 443-444
Sclerotiopsis *see* 444
Sclerotium *see* 444
SCOPULOIDES 505, *509*; HYDNOIDES 505, *509*
Seaverinia geranii 410
Septoria culmifida 404
Septotinia *see* 444
Sphaeria *see* 363
Sphaerosoma *see* 363
Sphaerozone *see* 363
Splanchnonema 27
STACHYOMPHALINA 39, *41*, 43; STRIATULA 41, *42*-45
Stephensia *see* 363

Strobilurus *see* 363; TRULLISATUS 172, 176-*179*, 183
Stromatinia *see* 444
Stropharia ambigua 254
SUBULICIUM 505, *511*; LAUTUM 505, 510, 511, *513*, 514, 518
Subulicystidium 511, 513, 514; longisporum 514, 515; RALLUM 505, 512, *514*
Suillus *see* 363-364

Terfezia *see* 364; oligosperma 336
Tirmania *see* 364 ('Trimania')
Titanella *see* 364; MACROSPORA 30, 32, *33*, 34; PELOROSPORA 30, 32, *34*
Torula fructigena 408, 521
Trametes *see* 364
Trechispora 32, 515
Trematosphaeria *see* 364
Tricholoma *see* 364
Trichophaea 319
Tripospermum 481; camelopardus 481; myrti 481; PROLONGATUM 469, *479*-481
Tuber *see* 364; HIROMICHII 297, *336*; OLIGOSPERMUM 297, *336*; PHLEBODERMUM 297, *337*
Tubulixenasma 513

Tulostoma *see* 364; FERRUGINEUM 277, *279*, 280, 282; STUNTZII 277, *278*, 282
Typhula 421, 426
Tyromyces *see* 364

Uredo pileae 488
Urnula hartii 412
Uromyces commelinae 484

Valsa profusa 364
Valsaria *see* 364
Verpatinia *see* 444
Verrucobotrys geranii 410

Wettsteinina 20
Whetzeliana sclerotiorum 379
Whetzelinia *see* 444

Xenasma 515; rimicolum 515
Xenasmatella 515; DECIPIENS 505, *515*, 516, 518, 519; INOPINATA 505, *518*-519; tulasnelloidea 516
Xerula 20

Zopfia *see* 364

# AUTHOR INDEX, VOLUME TEN

ADAMS, P. B., *see* UECKER & *al.*
ALFIERI, S. A., JR. *Kutilakesa pironii* sp. nov., a stem gall- and canker-inciting fungus, new to the United States 217-218
ANAGNOSTAKIS, SANDRA L., *see* ANDERSON & ANAGNOSTAKIS
ANDERSON, JOHN F. & SANDRA L. ANAGNOSTAKIS. Validation of *Entomophthora aquatica* 350
AYERS, W. A., *see* UECKER & *al.*
BARR, MARGARET E. Additions to the Diaporthales 213-216
BAU, YUN-SUN, *see* LIU & BAU
BEN-ZE'EV, ISRAEL, & ROBERT G. KENNETH. *Zoophthora erinacea* sp. n. (Zygomycetes: Entomophthoraceae), a fungal parasite of aphids 219-232
BERGER, E. G., *see* WASSER & BERGER
CARMICHAEL, J. W., *see* SIGLER & *al.*
CHAPMAN, S. W., *see* MITCHEL & *al.*
CIBULA, WILLIAM G. Fungi of the Gulf Coast I. Two new species of *Hygrophorus* section *Hygrocybe* 105-115
CUMMINS, GEORGE B. Annotated, illustrated, host index of Sonoran Desert rust fungi 1-20
CUMMINS, G. B., *see* GILBERTSON & *al.*
DARNALL, ELIZABETH D., *see* GILBERTSON & *al.*
DICOSMO, FRANK. *Pocillopycnis*, an emendation 288-292
DUNN, M. T., *see* PUNUGU & *al.*
ESSLINGER, THEODORE L. Studies in the lichen family Physciaceae. V. Two species of *Physcia* new to North America 210-212
FARR, M. L., *see* MITCHEL & *al.*
GALLAGHER, J. E., *see* GHOSH & *al.*
GAUR, P. K., *see* SIGLER & *al.*
GHOSH, GOURI RANI, *see* MOHANTY & GHOSH
GHOSH, GOURI RANI, G. F. ORR, A. C. PIER & J. E. GALLAGHER. Comparative ascospore morphology of certain strains of *Rollandina* by scanning electron microscopy 21-28
GILBERTSON, R. L., *see* MARTIN & GILBERTSON
GILBERTSON, R. L., G. B. CUMMINS & ELIZABETH D. DARNALL. Indexes to W. G. Solheim's Mycoflora Saximontanensis Exsiccata 49-92
GRAY, DENNIS J. & G. MORGAN-JONES. Notes on Hyphomycetes. XXXIV. Some mycoparasitic species 375-404
GREENLEAF, MARK A. & RICHARD P. KORF. *Mollisia* in Macaronesia: an exercise in frustration 459-472
GUPTA, N. N., *see* MISRA & *al.*
HJORTSTAM, KURT & EVEN HØGHOLEN. Notes on Corticiaceae (Basidiomycetes) VI. *Rogersella eburnea* nov. spec. 265-268
HJORTSTAM, KURT & LEIF RYVARDEN. Notes on Corticiaceae (Basidiomycetes) V 201-209
HJORTSTAM, KURT & LEIF RYVARDEN. Studies in tropical Corticiaceae (Basidiomycetes) I 269-287
HØGHOLEN, EVEN, *see* HJORTSTAM & HØGHOLEN
JENG, R. S., *see* KRUG & JENG
JENKINS, DAVID T. A study of *Amanita* types III. Taxa described by W. A. Murrill 175-200
JENKINS, DAVID T. A new species of *Amanita* 296-298
KENNETH, ROBERT G., *see* BEN-ZE'EV & KENNETH
KOHN, LINDA M., *see* KORF & KOHN
KORF, RICHARD P., *see* GREENLEAF & KORF
KORF, RICHARD P., *see* OUELLETTE & KORF
KORF, RICHARD P. & LINDA M. KOHN. Revisionary studies in the Hyaloscypheae. I. On genera with "glassy" hairs 503-512

KRUG, J. C. & R. S. JENG. *Rhytidospora* and *Pteridiosperma*, gen. nov. (Melanosporaceae) 41-45
LATA, KANCHAN, *see* MISRA & *al.*
LIBERTA, ANTHONY E. Notes on the genus *Subulicystidium* 409-412
LICHTWARDT, R. W., *see* SIGLER & *al.*
LIU, BO & YUN-SUN BAU. A new genus and a new species of Clathraceae 293-295
LU, K. C., *see* ROSSMAN & LU
MARTIN, K. J. & R. L. GILBERTSON. Synopsis of wood-rotting fungi on spruce in North America: III 479-501
MISRA, P. C., N. N. GUPTA & KANCHAN LATA. A new species of *Fennellomyces* (Mucorales) 251-254
MITCHEL, D. H., S. W. CHAPMAN & M. L. FARR. Notes on Colorado fungi IV: Myxomycetes 299-349
MOHANTY, RATNAKAR & GOURI RANI GHOSH. Comparative physiology of some strains of *Rollandina* 29-36
MORGAN-JONES, G. Notes on Hyphomycetes. XXXV. *Stenellopsis* gen. nov. 405-408
MORGAN-JONES, G., *see* GRAY & MORGAN-JONES
MORGAN-JONES, G. & ROBERT C. SINCLAIR. Notes on Hyphomycetes. XXXIII. *Stachybotrys ephaerospora* sp. nov. from South Africa 372-374
ORR, G. F., *see* GHOSH & *al.*
OUELLETTE, G. B. & RICHARD P. KORF. Three new species of *Claussenomyces* from Macaronesia 255-264
PALM, MARY E., ELWIN L. STEWART & AMY Y. ROSSMAN. *Pithomyces funiculosa* sp. nov. from fungal comb of *Macrotermes ukuzii* in Swaziland 246-250
PATRICK, W. W., JR. Comparative morphology and taxonomic disposition of *ebulbosus*, *quadrifidus*, and *variegatus* in the genus *Coprinus* (Agaricales) 142-154
PETERSEN, RONALD H. Notes on mycological history. II. Some disbursements of Schweinitz's fungi 37-40
PIER, A. C., *see* GHOSH & *al.*
PUNUGU, A., M. T. DUNN & A. L. WELDEN. The peniophoroid fungi of the West Indies 428-454
RAJAK, R. C. Two new species of *Cercospora* 455-458
REDHEAD, SCOTT A. *Physalacria subpeltata* sp. nov. from Hawaii 46-48
ROSE, SHARON L. & JAMES M. TRAPPE. Three new endomycorrhizal *Glomus* spp. associated with actinorrhizal shrubs 413-420
ROSSMAN, AMY Y. *Absconditella duplicella* and *Cryptodiscus rutilus:* additions to the Ostropalean fungi 365-368
ROSSMAN, AMY Y., *see* PALM & *al.*
ROSSMAN, AMY Y. & K. C. LU. Filamentous fungi associated with leaf surfaces of red alder and Douglas fir seedlings in western Oregon 369-371
RYVARDEN, LEIF, *see* HJORTSTAM & RYVARDEN
SEIFERT, KEITH A. *Blistum musae:* a new species of synnematal hyphomycete 233-240
SHERWOOD, MARTHA A. Phacidiales Exsiccati Decades I-III 241-245
SIGLER, L., P. K. GAUR, R. W. LICHTWARDT & J. W. CARMICHAEL. *Renispora flavissima*, a new Gymnoascaceous fungus with tuberculate *Chrysosporium* conidia 133-141
SINCLAIR, J. B., *see* YEH & SINCLAIR
SINCLAIR, ROBERT C., *see* MORGAN-JONES & SINCLAIR
SPIELMAN, LINDA J. *Cytospora* vs. *Cytispora:* which is correct? 473-478
STEWART, ELWIN L., *see* PALM & *al.*
TRAPPE, JAMES M., *see* ROSE & TRAPPE
UECKER, F. A., W. A. AYERS & P. B. ADAMS. *Teratosperma oligocladum*, a new hyphomycetous mycoparasite on sclerotia of *Sclerotinia sclerotiorum*, *S. trifoliorum*, and *S. minor* 421-427

VAN DE BOGART, FRED. The genus *Coprinus* in western North America, Part III: Section *Atramentarii* 155-174
WALKER, CHRISTOPHER. *Complexipes moniliformis:* a new genus and species tentatively placed in the Endogonaceae 99-104
WASSER, S. P. & E. G. BERGER. Analysis of the basidium of higher basidiomycetes on the basis of geometrical dependencies 351-364
WELDEN, A. L., *see* PUNUGU & *al.*
WOLFE, CARL B., JR. *Mucilopilus*, a new genus of the Boletaceae, with emphasis on North American taxa 116-132
YEH, C.-C. & J. B. SINCLAIR. Conidium ontogeny and morphology of *Cercospora kikuchii* 93-98

## REVIEWERS

The Co-Editors express their appreciation to the following individuals who have reviewed one or more of the papers in this volume prior to publication.

C.J. ALEXOPOULOS
R.J. BANDONI
H.H. BURDSALL, JR.
W.J. CAIRNEY
E.R. CANFIELD
J.L. CRANE
B.A. DANIELS
F. DI COSMO
J. ERIKSSON
J.H. GINNS
R.D. GOOS
J.M. HAINES
M.E. HALE, JR.
R.T. HANLIN
J.F. HENNEN
I. HO
S.J. HUGHES
R.A. HUMBER
E.G. JORDAN
W.B. KENDRICK
J.W. KIMBROUGH
L.M. KOHN
J.C. KRUG
H.H. KUEHN
K.J. KWON-CHUNG
A.E. LIBERTA
J.P. LINDSEY
D. MALLOCH
S.J. MAZZER
G. MORGAN-JONES
T.R. NAG RAJ
G.F. ORR
R.H. PETERSEN
D.H. PFISTER
K.A. PIROZYNSKI
C.T. ROGERSON
A.Y. ROSSMAN
M.A.A. SCHIPPER
L. SHANOR
R.A. SHOEMAKER
A.H. SMITH
L.J. SPIELMAN
A. STRID
B.C. SUTTON
H.D. THIERS
J.M. TRAPPE
S.-I. UDAGAWA
C. WALKER
K. WELLS

## PUBLICATION DATES FOR MYCOTAXON

Volume 9, No. 2: July 19, 1979*
Volume 10, No. 1: October 19, 1979

*[the date given on the cover of Vol. 10, No. 1 is *incorrect*]

# INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME TEN

This index includes genera, infrageneric taxa, species, and infraspecific taxa. New taxa are in **boldface** as are the pages where they are published. The Solheim Exsiccata paper (pp. 49-92) is itself a pair of indices, reference to which is indicated by the notation "see."


Absconditella 366; duplicella 365-367; sphagnorum 366
Absidia spinosa 50
Acaulospora 102
Acremonium 45, 236; strictum 370; verticillatum 386
Acrospermum graminum 243
Acrostalagmus fungicola 402
Adelopus balsamicola 50
Aecidium see 50
Agaricus 390; bisporus 402
Agyrium rufum 243
Ajellomyces capsulatus 133, 136, 139, 140
Albugo see 50; bliti 49
Aleurodiscus 208
Alternaria see 50; alternata 370
Amanita 106, 175, 200, 296, 380; sect Lepidella subsect Solitariae stirps Cinereoconia 298; abruptiformis 176; alliacea 176; anisata 177; cinereoconia v cinereoconia 298; v crocees-cens 298; cylindrisporiformis 177; flavivolva 179; fraterna 180; griseofarinosa 298; inodora 189; lutescens 298; maculans 181; malodora 181; mappa v tenuipes 182; margarita 182; murrilliana 180; muscaria 50; mutabilis 192; neglecta 183; odorata 298; odorifera 184; **pallidoflavescens 296-298**; pantherina 185; v pantherinoides 185, 186; pantherinoides 184; parva 185; parviformis 185; praegemmata 186; praegraveolens 182, 187; praelongispora 187; pseudoverna 188; rhoadsii 188; v flavotingens 178; roanokensis 198; f inodora 189; roseitincta 189; solitariiformis 190; spreta v minor 194; spretella 190; suballiacea 191; subcitriniceps 191; submutabilis 192; subphalloides 192; subrecutita 193; subsolitaria 193; subvirginiana 194; tenuifolia 195; umbrinidisca 195; vernella 196; verniformis 196; vestita 298; virginiana 197; virosiformis 197; watsoniana 198; wellsii 198; westii 199
Amanitopsis 175; floridana 179
Amauroascus 30; kuehnii 29
Amaurochaete atra 307, 341; ferruginea 307, 341; fuliginosa 341
Amphinema 428; byssoides 431, 434
Amphisphaeria separans 50
**Amyloathelia 201**, 202, 204, 209; **amylacea 202-204**, 206; **crassiuscula** 201, **204**, 205
Amylocorticium 201, 209; **laceratum** 205, **206**
Amylostereum 208, 209, 491; chailletii 491
Anthostomella ratibidae 50
Anthracoidea eleocharidis 50
Apioplagiostoma aceriferum 213; carpinicolum 213
Apiosporella alpina 50
Apiosporina collinsii 50
Arachniotus 28, 139; dankaliensis 28; hyalinosporus 22; marginosporus 22; reticulatus 29
Arcyodes incarnata 303, 315
Arcyria 238, 317, 318; cinerea 303, 315; denudata 303, 316; ferruginea 303, 316; globosa 303, 316; incarnata 303, 316, 317; insignis 303, 317; nutans 303, 317; oerstedtii 303, 317; olivaceoglobosa 303, 317; pomiformis 303, 317; punicea 316; stipata 303, 317; versicolor 303, 317; vitellina 317
Armillaria mellea 50
Armillariella 498; mellea 498
**Arnoldia 375**, 378; **clavispora** 375, **376-378**
Arthrinium arundinis 370
Arthroderma multifidum 140; tuberculatum 140
Ascochyta see 50
Aspergillus clavatus 370; niger 370
Asperisporium peucedani 50
Asterodon 484; ferruginosus 484
Asteroma tennerimum 50
Asterostroma 487, 488; andinum 488; cervicolor 488
Athelia 202, 204
Athelopsis 206; glaucina 207; lembospora 201, 205-207
Aureobasidium pullulans 369, 370
Auricularia 480; auricula-judae 50; auricularis 480

Badhamia affinis 305, 330; capsulifera 305, 330; dearnessii 305, 330; decipiens 337; foliicola 305, 331; gracilis 305, 331; macrocarpa 305, 331; nitens 305, 331; obovata 333; orbiculata 330; ovispora 305, 331; panicea 305, 331; v heterospora 332; populina 305, 332; rubiginosa 333; utricularis 305, 332; versicolor 306, 332
Badhamiopsis ainoae 306, 332
Basidiophora entospora 50
Bifusella see 51; linearis 242

Blastotrichum puccinioides 380
Blistum 233, 234, 236, 238-240; **musae** 233, **234**, 236, 238; orbiculare 233, 234, 236, 238; ovalisporum 236; tomentosum 236
Boletellus violaceiporus 122, 127, 129, 131, 132
Boletus **see** 51, 352, 386, 388, 392; conicus 118-120, 123; v conicus 122; felleus 116; porphyrosporus 116
Boreostereum 491; radiatum 491
Botrytis cinerea 370; variospermum 382
Bourdotia 481; eyrei 481
Brevicellicium 269; exile 271; **mellinum 269-271.**

Caldesia sabina 51
Calomyxa metallica 302, 315
Calonectria 365; duplicella 365; rutila 366
Calvatia cyathiformis 51
Cantharellus cibarius 51
Ceraceomyces 271
Ceratiomyxa fruticulosa 301, 310; mucida 310
Cercoseptoria **see** 51
Cercospora **see** 51, 93, 455, 457; **amaryllicola** 455, **457**, 458; kikuchii 93-96; **pentasii 455-457**
Ceriomyces conicus 120
Chaetendophragmia 424; triangularia 426; triseptata 426
Chaetomium cochlioides 370; elatum 370; funicolum 370
Chlorociboria 255-257; **salvilicolor** 255, **257**
Chlorosplenium salviicolor 256, 257
Chondrostereum 491; purpureum 491
Chrysomyxa **see** 51
Chrysosporium 133, 134, 139, 140
Ciborinia confundens 51
Cicinnobolus major 51
Cienkowskia reticulata 306, 332
Cintractia **see** 51
Circinella 251; linderi 251
Cladobotryum 375, 378; apiculatum 378, 381; dendroides 378; mycophilum 378, 380, 382, 384; variospermum 382; varium 378, 382, 385; verticillatum 370, 382, 386, 387
Cladosporium 405; cladosporioides 370; fulvum 408; herbarum 370; macrocarpum 370; ornithogali 405; oxysporum 370; sphaerospermum 370
Clathrus 293, 294; columnatus 293
Claussenomyces 255-257, 259, 262; atrovirens 261, 263; **canariensis** 255, **257**, 259, 260, 263; **clavatus** 255, 257, **259**, 261, 263; **dacrymycetoideus** 255, 257, **259**, 262, 263; jahnianus 255, 262; luteoviridus 256, 257, 263; prasinulus 263; pseudotsugae 262; pusillus 262; salviicolor 256
Clavariadelphus 482; ligula 482
Claviceps purpurea 51
Clitocybe infundibuliformis 51
Coccomyces 242, 244; coronatus 242; delta 243; dentatus 243; irretitus 244; leptideus 242; quadratus 242; strobi 243; tumidus 242
Coleosporium **see** 51-52
Coleroa **see** 52
Collybia 499; acervata 499
Columnocystis 490, 492; abietina 492, ambigua 492
Comatrichia 342; aequalis 307, 341; alpina 308, 341; elegans 308, 341; fimbriata 308, 342; irregularis 308, 342; laxa 308, 342; nigra 308, 342; v aequalis 341; v suksdorfii 342; nodulifera 308, 342, 343; persoonii 342; pulchella 308, 342; rubens 308, 342; suksdorfii 308, 342, 343; typhina 343; typhoides 308, 342
**Complexipes 99,** 102, 103; **moniliformis 99,** 100, 103, 419
Conidiobolus 229
Coniophora 482, 483; arida 483; corrugis 52, 483; flava 440; fusispora 483; puteana 483
Coniophorella 483; olivacea 483
Coniothyrium concentricum 52
Coprinus 142, 144, 151, 155; sect Atramentarii 150; 155-157; sect Lanatuli 150; sect Picacei 149; "group" Picacei 142; "tribe" Tomentosi 150; atramentarius 142, 143, 150, 154, 156, 172, 173; v acuminatus 157, 172, 173; v atramentarius 157, 169, 170, 173; v **crassivelatus** 155, 157, **173,** 174; comatus 142, 143; **depressiceps** 155, 157, **165,** 166; ebulbosus 142-144, 147, 149, 151, 152; picaceus 149-151; v ebulbosus 149, 152; **pinguisporus** 155, 157, **161,** 162; quadrifidus 142-144, 147, 149-152; soboliferus 169; **striatus** 155, 157, **158,** 159; variegatus 142-144, 147, 149-152, 154
Coriolus versicolor 378, 380
Corticium 271; amylaceum 201, 202, 204; byssinum 52; carneum 435; cerinum 287; cinereum 435; citrinellum 453; confusum 207; cremeum 436; filamentosum 438; inconspicuum 453; laceratum 201, 206; lembosporum 206, 207; mellinum 269; mutatum 454; roumegueri 446; sambuci 450; simile 451; subalutaceum 451; subochraceum 271, 272; sulphurosum 271; tenue 451; tephrum 454; versicolor 452
Cortinarius **see** 52
Corynascus sepedonium 140
Corynella 255
Crandallia juncicola 52
Craterium aureum 306, 332; leucocephalum 306, 332; v cylindricum 333; v rufum 333; v scyphoides 333; minutum 306, 333; obovatum 306, 333
Crepidotus 496; ramosus 497
Cribraria 240, 312; argillacea 301, 310; atrofusca 301, 310; aurantiaca

[Cribraria aurantiaca] 301, 310; elegans 301, 310; intricata 301, 311; macrocarpa 301, 311; microcarpa 301, 311; minutissima 301, 311; oregana 301, 311; piriformis 301, 311; purpurea 301, 311; pyriformis 311; rufa 301, 311; violacea 301, 312; vulgaris 301, 312
Cronartium see 52
Cryptodiscus 366, 367; rutilus 366, 367
Cryptosporella 214, 215
Ctenomyces serratus 29, 30
Culicicola 229
Cumminsiella see 52
Curvularia lunata 370
Cylindrocarpon obtusisporum 370
Cylindrophora apiculata 378
Cylindrosporium see 52-53
Cystostereum 490; murrali 490; piceinum 490
Cytispora 473-477
Cytospora see 53, 473-477

Dacrymyces 261, 474, 480; abietinis 481; ellisii 480; palmatus 481; punctiformis 481
Dacryomyces 474
Dactylium mycophilum 380; varium 382
Darluca filum 53
Dasyscypha see 53
**Dendrodontia 269, 273; bicolor 273,** 274
Dendrothele 204, 208
Diachea 310; leucopodia 304, 323; subsessilis 304, 323
Dianema corticatum 302, 315; depressum 302, 315; harveyi 302, 315; subretisporum 302, 315
Diatrype albopruinosa 53
Dibotryon morbosum 53
Dicarpella 214; bina 215; georgiana 215; **quercifolia 215**
Dictydiaethalium plumbeum 302, 314
Dictydium 238; cancellatum 301, 312; v alpinum 312; mirabile 301, 312
Diderma 323, 324; alpinum 325; asteroides 304, 323; brooksii 304, 323, 324; chondrioderma 304, 324; corrubrum 304, 324; crustaceum 304, 324; effusum 304, 324; evelinae 323; floriforme 304, 324; globosum 304, 324; hemisphaericum 304, 324; lyallii 304, 324; michelii 324; montanum 304, 325; niveum 304, 325, 326; radiatum 304, 326; roanense 304, 326; sauteri 304, 326; spumarioides 304, 326; stellare 326; testaceum 304, 326; trevelyanii 304, 325, 326
Didymaria see 53
Didymium 238, 327, 328; anellus 305, 326; anomalum 329; clavus 305, 326; crustaceum 305, 327; decipiens 305, 327; difforme 305, 327; dubium 305, 327-329; eximium 328; farinaceum 328; fulvum 305, 327; megalosporum 305, 328; minus 305, 328; nigripes 305, 328; nivicolum 305, 328, 329; quitense 305, 328; squamulosum 305, 329; sturgisii 305, 329
Didymobotryopsis cerastii 53
Didymosphaeria clementsii 53
Dimerosporium collinsii 53
Dinemasporium 370
Diplocladium elegans 380
Discella pilosula 53
Discina ancilis 53
Discocainia treleasei 243
Doassansia alismatis 53
Duplicaria acuminata 53
Durella atrocyanea 244

Echinodontium 483; tinctorium 483
Echinostelium elachiston 302, 315
Emericella nidulans 370
Emericellopsis 45; stolkiae 53
Emmonsiella capsulata 133
Endogone 417; eucalypti 103; multiplex 417
Endophyllum tuberculatum 53
Enerthenema berkeleyanum 308, 343; melanospermum 308, 343, 344; papillatum 308, 343, 344; syncarpon 343
Enteridium lycoperdon 302, 314; olivaceum 302, 314; rozeanum 314; splendens 302, 314; v jurana 302, 314
Entomophaga 229
Entomophthora 227, 229, 230; subg Triplosporium 229; aphidis 221, 227; **aquatica 350;** fresenii 220; montana 219; muscae 230; occidentalis 231; parvispora 230; planchoniana 220; turbinata 222, 226, 229
Entyloma see 53
Epicoccum purpurascens 370
Erysiphe see 53-54
Eupropolella vaccinii 242
Exidia see 54
Exidiopsis 481; calcea 481; macrospora 482
Exobasidium see 54

Fabraea maculata 54
Fabrella tsugae 242
Fennellomyces 251; linderi 251, 254; **heterothallicus 251,** 252, 254
Fibricium 490; rude 490
Flammulina 499; velutipes 499
Fomes see 54
Foveostroma 288; drupacearum 288
Fulgine 238
Fuligo 238; cinerea 306, 333; ellipsospora 333; intermedia 306, 333; megaspora 306, 334; septica 306, 334
Fulvia 408; fulva 408
Fusarium arthrosporioides 370; tabacinum 370
Fusicladium depressum 54

Ganoderma applanatum 54; tornatum 411
Gasterocybe lateritia 54
Gelasinospora tetrasperma 370
Gelatinopycnis 288

Gelatinosporium 289, 291, 370
Geniculisporium 370
Geomyces 139
Geopyxis cupularis 54
Gigaspora 102, 103, 419; heterogama 102; margarita 419; rosea 419
Gloeocystidiellum 208
Gloeosporium **see** 54, 370
Glomus 102, 103, 413, 417; albidus 417; caledonius 415; clarus 417, 419; etunicatus 99; fasciculatus 99, 417; **halonatus 413,** 415; **lacteus 415–417**; microcarpus 417; monosporus 415, 417; mosseae 417; multicaulis 417; pallidus 419; **scintillans 417,** 419
Grandinia bicolor 269, 273; rosea 281
Guepiniopsis alpinus 54
Gymnoascus reessii 29, 30; uncinatus 29
Gymnoconia ridelliae 1, 16
Gymnosporangium **see** 54–55

Hadrotrichum **see** 55
Haematostereum 491; sanguinolentum 491
Hapalocystis 214; **corni 214;** ulmi 214
Harknessia 215; americana 215
Helicobasidium 480; corticioides 480
Helminthosporium 474, 476
Helmisporium 474, 476
Helvella infula 55
Hemiarcyria 238
Hemiphacidium planum 55
Hemitrichia 318; abietina 303, 318; calyculata 303, 318; clavata 303, 318; karstenii 303, 318; montana 303, 318; ovata 318; serpula 303, 319; stipitata 318
Hendersonia calamovilfae 55
Hericium 484; abietis 484
Herpobasidium deformans 55
Herpotrichia nigra 55
Heterodictyon 312
Heterosporium **see** 55, 405; magnoliae 405, 406, 408; ornithogali 405
Heterotextus 480; alpinus 480
Histoplasma 133
Holwaya 255
Humicola fuscoatra 370
Hyalopeziza 503, 504, 508, 509; subg **Hyalopeziza** 503, 508, **509;** subg **Unguicularia** 508, **509;** sung **Unguiculariopsis** 508, **508;** subg **Unguiculella** 508, **509;** ciliata 509; **hamulata 509; ilicincola 509;** millepunctata 506; **unguiculata 509**
Hyalopsora polypodii 55
Hyalotricha 504
Hydnum eichelbaumii 275; imbricatum 55
Hygrocybe 105, 112; mexicana 105, 108
Hygrophorus 111, 112; subg Hygrocybe 111; sect Hygrocybe 105; appalachianensis 111; calophyllus 55; cantharellus 109; **chamaeleon** 105, **109,** 113; firmus 108, 109; v trinitensis 105, 108; **mississippiensis** 105, **106,** 113
Hymenella 39
Hymenochaete 484, 485; cinnamomea 485; fuliginosa 485; tabacina 485; tenuis 485
Hyphoderma 267, 269, 428; argillacea 432, 433; odontiaeforme 279; piliseta 432, 445; praetermissum 277; **rude 275,** 276; setigera 432, 434; tenuis 432, 451
Hyphodontia 267, 428; mutatum 454; subalutacea 432, 451
Hypochnella 209
Hypochnicium 202
Hypochnus dussii 438; longisporus 443
Hypoderma saccatum 55
Hypomyces aurantius 382; dactylarius 400; ochraceus 400; odoratus 380, 400; paconius 400; rosellus, 378, 400; semitranslucens 392, 396; tulasneanus 375, 378, 388, 389
Hypoxylon pruinatum 55

Inonotus 484, 485; circinatus 485; dryadeus 485; tomentosus 485
Intextomyces 269, 279; contiguus 279; **umbrinus** 277, **279**
Irpicodon 208

Kabatia **see** 55
Kellermannia **see** 55
Khuskia oryzae 370
Kneiffia brasiliensis 278, 279
Kunkelia nitens 55
Kutilakesa 218; circinosetifera 217; madreeya 217; **pironii 217**

Lachnellula chrysophthalma 55
Lachnobolus 240; congestus 315
Lactarius 380, 386; deliciosus 55
Laestadia quercifolia 215
Laeticorticium 273
Lamproderma 300, 346; arcyrioides 308, 344; atrosporum 308, 344; carestiae 308, 344; columbinum 308, 345; cribrarioides 308, 345; cristatum 308, 345; echinosporum 308, 345; fuscatum 308, 346; gulielmae 308, 346; maculatum 308, 346; sauteri 308, 346; scintillans 308, 346; violaceum 344; v carestiae 345
Lasiobolus pilosus 55
Lasiobotrys lonicerae 55
Lasiostictis fimbriata 243
Laurilia 208, 484; sulcata 484
Laxitextum 208
Lentinellus 498, 499; montanus 499; omphalodes 499
Lentinus 396, 498, 499; kauffmanii 499; lepideus 499
Lenzites betulina 400; saepiaria 55
Leocarpus fulvous 334; fragilis 306, 334.
Lepidoderma 325; carestianum 305, 329; chailletii 305, 329; granuliferum 305, 330; tigrinum 305, 330

Lepiota praegraveolens 187
Leptoderma iridescens 308, 346
Leptosporomyces ovoideus 271
Leptothyrium see 55
Leucogyrophana mollis 209; subillaqueata 209
Leucomyces mexicanus 199
Leucostoma 475, 476
Licea 300; belmontania 301, 312; castanea 301, 313; fimicola 301, 313; flexuosa 313; kleistobolus 302, 313; minima 302, 313; parasitica 302, 313; tenera 302, 313; variabilis 302, 313
Lindbladia 238; effusa 312; tubulina 301, 312
Linodochium 288
Lophionema apoclastospora 55
Lophodermella see 55
Lophodermium arundinaceum 243; decorum 55, 242; pinastri 244; tumidum 242; uncinatum 244
Luellia 207
Lycogala epidendrum 302, 314; flavofuscum 302, 314
Lysurus 293, 294; mokusin 293

Marasmius 400
Margarita metallica 315
Marssonia see 55
Marssonina see 56
Massariovalsa 214
Massospora 229
Mastigosporella 215; hyalina 215
Melampsora, 12, see 56; lini 12, 15; paradoxa 12, 18
Melampsorella see 56-57
Melanconiella corni 214
Melanconiopsis 214
Melanconis 213; sect Thelebolae 213; corni 213, 214
Melanconium 370
Melasmia imitans 57
Melzericium 202, 209
Memnoniella echinata 370
Metatrichia vesparium 303, 319
Microsphaera see 57
Microsporum 28
Microthecium 41, 42, 44; ciliatum 41, 42, 45; foveolatum 41, 42, 44, 45; hypomyces 41; inordinatum 41, 44
Mollisia 459, 460, 463, 464, 467, 468, 481; cinerea 460, 462, 467, 472; **dextrinospora** 459, 461, **462**, 464, 471; fallens 462, 471, 472; hamulata 504, 510; melaleuca 460, 462; melaleucoides 460; trabincola 462, 464, 471; ventosa 462
Mollisina 503, 504, 506, 508, 509; rubi 506, 509
Monochaeta 370
Monocillium 370
Monodictys 370; castaneae 370
Mortierella ramanniana v angulispora 370
Mucilago crustacea 305, 330; spongiosus 330
**Mucilopilus** 116, **117-119**, 122, 124, 126, 127, 129, 130; sect **Mucilopilus 118**; sect **Scrobiculati 118**, 119; **conicus** 116, **119**, 123; v **conicus 119**, 120, 122, 127; v **reticulatus** 116, 119, **121**, 122, 126, 127; **nothofagi 126**; **venezuelae 127**; **violaceiporus 129**; **viscidus 130**; v **macrosporus 124**
Mucor 251, 253
Mucronella 484; aggregata 484
Mycoacia 281
Mycoaciella 269, 281; bispora 281; **hinnulea** 280, **281**
Mycobanche chrysosperma 392; rosea 390
Mycogone 375; perniciosa 378, 388, 391; psilocybina 375; puccinioides 380; rosea 378, 390, 393; verticillata 386
Mycosphaerella see 57
Myriophacidium amphyophyllicum 242
Myxotrichum uncinatum 29

Naematoloma 500; capnoides 500
Nannizzia 23
Narasimhella 22, 139; hyalinospora 22, 23; poonensis 21-24, 26, 30
Nectria cinnabarina 57
Nectriella pironii 217
Nematogonium 240
Neopeckia coulteri 57
Neurospora sitophila 370
Niptera 459, 462
Nodulisporium 370
Nyssopsora see 57

Odontia hinnulea 281; rudis 275
Oidium ambrosiae 57
Oligonema fulvum 303, 319; schweinitzii 303, 319
Ophiobolus festucae 57
Orcadella pusilla 313
Ovularia see 57

Panellus 498, 499; serotinus 500; stipticus 500
Passalora see 57
Penicillium 370; spiculisporum 29
Peniophora 428, 429; affinis 432; argillacea 433; aspera 432, 433; burtii 434; byssoides 434; carnea 429, 435; cinerea 429, 435, 454; citrinella 453; cremea 436; dussii 438; filamentosa 438; flammea 443; flava 431, 440; flavido-alba 432, 439, 440; galochroa 285, 453; gracillima 441; hiulca 441; inconspicua 453; inflata 430, 441; longispora 409, 410, 443; v brachyspora 410; ludoviciana 432, 443; mutata 454; nikau 409, 410; phosphorescens 445; piliseta 445; pruinata 454; ralla 409; ravenelii 432, 446, 447; roumegueri 432, 446, 448; sacchari 432, 446, 449; sambuci 450; septocystidia 450; seymouriana 454;

[Peniophora] similis 432, 451; subalutacea 451; tenuis 451; tephra 454; versicolor 429, 452; versiformis 429, 452, 454
Perichaena chrysosperma 303, 319; corticalis 303, 319, 322; depressa 303, 320; vermicularis 303, 320
Peridermium see 57
Peronospora see 57-58
Pestalotia clavispora 370; microspora 370; vaccinii 370
Petalosporus 139
Peziza 39; ilicincola 509
Pezizella hamulata 509
Phakopsora 12; crotonis 8, 12
Phanerochaete 271, 287, 428; affinis 430, 432; burtii 430; cremea 431, 436; filamentosa 430, 438, 439; **hiulca** 430, **441**; **phosphorescens** 431, **445**; septocystidia 431, 449, 450
Phellinus 484, 486; chrysoloma 487; ferreus 487; ferrugineofuscus 486; ferruginosus 486; nigrolimitatus 486; pini 487; repandus 487; robustus 487; viticola 486; weirii 486
Phialophora 460-462, 464; fastigiata 462; hoffmannii 370; verrucosa 370, 459, 462
Phlebia 269, 281, 282; queletii 281; romellii 268; **rosea 281**, 282
Phlebiopsis 269, 285; **galochroa** 283, **285**; gigantea 285
Phleospora see 58
Pholiota 496, 497; adiposa 497; alnicola 497; aurivella 497; bakerensis 497; decorata 497; limonella 497
Phoma glomerata 370; herbarum 370
Phragmidium see 58
Phragmodothis conspicua 59
Phragmopyxis 7, see 59; acuminata 8; noelii 7, 8
Phyllachora see 59
Phyllactinia corylea 59
Phyllosticta see 59
Physalacria 46, 48; sect Pileolina 48; **subpeltata 46**, 47
Physalospora 214, 215; astragali 59, quercifolia 214, 215
Physarum 323, 324, 339; albescens 306, 323, 334; alpinum 306, 335; auriscalpium 306, 335; berkeleyi 337; bethelii 306, 335; bitectum 306, 335, 337; bivalve 306, 335; bogoriense 306, 335; brunneolum 306, 336; carneum 306, 336; cinereum 306, 336; citrinum 306, 336; compactum 340; compressum 306, 336; conglomeratum 306, 336; connatum 339; contextum 306, 336, 337; v mortonii 339; decipiens 306, 334, 337; diderma 306, 337; didermoides 306, 337; famintzinii 307; 337; flavicomum, 307, 337; globuliferum 307, 337; gyrosum 307, 337; lateritium 307, 338; leucophaeum 307, 338; leucopus 307, 338; listeri 307, 338; luteoalbum 338; luteolum 307, 338; maydis 339; megalosporum 307, 338; melanospermum 338; mortonii 307,339; nephroideum 336; newtonii 307, 339; notabile 307, 339; nudum 307, 339; nutans 307, 339; v leucophaeum 338; oblatum 307, 339; pallidum 336; polycephalum 307, 339; pulcherrimum 307, 340; pusillum 307, 340; rubiginosum 307, 340; stellatum 307, 340; straminipes 335, 337; sulphureum 307, 340; superbum 307, 340; testaceum 337; vernum 307, 340; virescens 307, 341; viride 307, 335, 341; v bethelii 335
Physcia 210-212; albicans 211; crispa 211; dimidiata 210, 211; dubia 211; grisea 211; magnussonii 210-212; tribacia 211
Physconia 211; grisea 211
Physoderma see 59
Pileolaria see 59
Pithomyces 246, 248; **funiculosa 246-249**; graminicola 248
Plagiostoma 213; acerophilum 213; alneum 213; v betulinum 213; bavaricum 213; campylostylum 213; v mirabile 213; devexum 213; euphorbiis 213; inclinatum 213; magnoliis 213; micromegalum 213
Plasmopara see 60
Pleuroceras groenlandicum 213; helveticum 213; pleurostylum 213; tenellum 213
Pleurotus 498; ostreatus 498; sapidus 402
Pluteus 501; cervinus 501
Pocillopycnis 288, 289; umensis 288, 289, 291
Podosphaera oxyacanthae 60
Polyporus see 60, 398; varius 396
Polystigma astragali 60
Polythrincium trifolii 60
Porphyrellus 116-118; sect Porphyrellus 116, 117; sect Pseudotylopili 116, 117; sect Scrobiculati 118; conicus 120; nothofagi 122, 124, 126, 128; porphyrosporus 116, 117; violaceiporus 127; viscidus 116, 117, 122, 126, 129-131; v macrosporus 122-125, 132; v viscidus 124
Prospodium 17; appendiculatum 17, 18
Prosthecium subg Pseudoprosthecium 214
Protophysarum phloiogenum 307, 340
Prototrichia flagellifera 320; metallica 303, 320, 327
Psathyrella 151
Pseudoarachniotus hyalinosporus 21-24; 26, 27, 30; marginosporus 21-26, 30; punctatus 21-25, 28, 30; roseus 28
Pseudocenangium 288
**Pseudoclathrus 293; cylindrosporus** 293, **294**, 295
Pseudographis elatina 243
Pseudogymnoascus 139; roseus 139
Pseudohydnum 481; gelatinosum 481
Pseudomassaria 214; quercifolia 215
Pseudopeziza see 60

Pseudoplectania nigrella 60
Pseudotomentella 493; humicola 493; mucidula 493; nigra 493; umbrina 493
Pseudoxenasma 208
**Pteridiosperma 41, 44,** 45; **ciliata 41, 45; foveolata 41, 45**
Puccinia 7, 9, 12, 14, 17, **see** 60–67; abrupta 17, 20; acroptili 8, 9; anisacanthi 3, 7; antirrhini 3, 20; arechavaletae 6, 9; aristidae v chaetariae 3, 7; asparagi 5, 20; baccharidis 5, 7; blasdalei 3, 9; cacabata 5, 7, 11; calcitrapae v centaureae 6, 20; californica 8, 9; canaliculata 2, 8, 9; cnici-oleracei 3, 9; confraga 13, 14; convolvuli 8, 20; cumminsii 2, 5; cynodontis 8, 12; dietelii 3, 8, 9; diplachnis 6, 12, 13; distorta 13, 14; enceliae 17, 20; eupatorii 10, 12; evadens 5, 7; franseriae 3, 7, 13; giliae 10, 12; globosipes 14, 15; graminis 15, 20; grindeliae subsp grindeliae 11, 14; subsp **riddelliae** 1, 14, **16;** guillemineae 6, 9; helianthi 11, 17; heterospora 2, 7; hieracii v harknessii 17, 18; hydrocotyles 11, 12; invaginata 11, 12; invelata 14, 16; leptochloae 1, 12, 13, 18; lithospermi 11, 12; lobata 14, 15; malvacearum 3, 20; megalospora 12, 13; nodosa 10, 12; obliqua 14, 18; ocellifera 16, 17; oenotherae 6, 9; pelargoniizonalis 16, 20; praetermissa 13, 14; purpurea 18, 20; recondita 20; schedonnardi 14, 15; sherardiana 17, 18; sonorae 3, 7; sonorica v sonorica 3, 7; sorghi 20; splendens 13, 14; subnitens 9, 10; tanaceti v tenaceti 8, 20; tetramerii 14, 20; turgidipes 1, 17, 20; tuyutensis 8, 12; velata 9, 10; vexans 6, 9, 11; xanthii 17, 20
Pucciniastrum **see** 67
Punctularia 489; strigosozonata 489
Pyrenopeziza 459
Pyrenophora phaeospora 67

Radulodon 269, 287; **subquercinus** 284, **285,** 287
Radulum subquercinum 285; umbrinum 279
Ramularia **see** 67–68
Ravenelia 5, **see** 68; arizonica 5, 16; bajacalensis 5, 15; epiphylla 5, 18; expansa 2, 5; fragrans v evernia 5, 15; v fragrans 15; humphreyana 5, 6; lysilomae 5, 15; mesillana 5, 6; piscidiae 5, 16; pringlei 2, 5; scopulata 2, 5; spinulosa v papillifera 5, 6; thornberiana 2, 5
**Renispora 133,** 139; **flavissima 133,** 134, 136, 139, 140
Reticularia lycoperdon 314
Rhabdocline pseudotsugae 68; weirii subsp obovata 243
Rhabdogloeum pseudotsugae 68
Rhizopus 371
Rhytidospora 41, 42, 44; **bispora** 41, **42–44; inordinata** 41, 43, **44;** tetraspora 41–44
Rhytisma **see** 68; acerinum 243
Robergea albicedrae 242; nigra 242
Rogersella 267, 268, 428; asperula 267, 268; **eburnea 265–268;** sambuci 267, 268, 432, 450
Rollandina 21–23, 28–30; capitata 21, 22, 24, 29, 30, 32, 34; hyalinospora 21–24, 29, 30, 32, 34
Russula 380, 386; emetica 386

Scaphidium boutelouae 68
Schizonella melanogramma 68
Schizophyllum 498; commune 498
Sclerocystis 102
Sclerotinia 421, 423; caricis-ampullaceae 69; minor 421–424; sclerotiorum 421, 422, 424; trifoliorum 421–423
Sclerotium bifrons 69
Scolecotrichum graminis 69
Scopulariopsis asperula 371; brevicaulis 371; brumptii 371
Scytalidium lignicola 371
Scytinostroma 208, 273, 487, 488; arachnoideum 488; galactinum 488
Scytinostromella 208, 287; **cerina** 286, **287;** humifaciens 287
Secotium agaricoides 69
Selenophoma 371; donacis 69
Selenosporella 421–426; verticillata 426
Sepedonium 140; chrysospermum 392; mycophilum 375, 378, 392, 394; roseum 390
Septogloeum **see** 69
Septonema chaetospira 371
Septopatella 288
Septoria **see** 69
Sepultaria aurantia 69
Serpula 482; hiamantioides 482
Shanorella 139
Sibirina 375, 396; fungicola 392, 395, 396, 398, 400; **gamsii** 375, **396–398,** 400; orthospora 396, 398; **purpurea** 375, **398–400**
Siroscyphella 288
Smithiomyces 200
Sordaria fimicola 371; minima 371
Sorosporium **see** 69
Sparassis 489; crispa 489; radicata 489
Sphacelotheca **see** 69
Sphaeria duplicella 365
Sphaeroderma hypomyces 41
Sphaerotheca **see** 69
Sporidesmium 421; sclerotivorum 421, 424, 426; subulatum 424, 426
Sporonema punctiforme 70
Spumaria alba 330; v solida 330
Stachybotrys 372; chartarum 372, 374; microspora 374; nilagirica 374; **sphaerospora 372–374**
Stagonospora **see** 70
Steccherinum 281, 490; ciliolatum 490
Stemonitis 240; axifera 308, 346; confluens 308, 347; ferruginea 346;

[Stemonitis] flavogenita 309, 347; fusca 309, 347; v fusca 347; v papillosa 347; v rufescens 347; herbatica 309, 347; hyperopta 309, 347; nigrescens 309, 347; smithii 309, 347; splendens 309, 347; v confluens 347; uvifera 309, 348; virginiensis 309, 348
Stenella 405, 408
**Stenellopsis 405,** 408; **magnoliae 406–**408
Stephanosporium ceralis 371
Stereum **see** 70, 208, 400, 491; hirsutum 491; pruinatum 454; versiforme 452
Stictis ostropoides 244; radiata 242; v aggregata 244
Stilbella 233, 238; orbicularis 236
Stilbospora 214
Stilbum 233; orbiculare 236, 238
Strongwellsea 229
Subulicystidium 409–411, 428; brachysporum 409–411; **cochleum** 431, **436,** 437; longisporum 409–411, 431, 443, 444; meridense 410, 411; naviculum 410, 411; nikau 410, 411
Suillosporium 482; cystidiatum 482
Suillus 118; conicus 120
Syncarpella tumefaciens 70
Synchytrium **see** 70

Talaromyces luteum 371
Tapesia 459
Taphrina **see** 70
Teichospora negundinis 70
Teratosperma 422–426; **oligocladum** 421, **422–424,** 426; singulare 426
Thelephora 492; aspera 433; byssoides 434; caryophyllea 70; setigera 434; terrestris 492
Therrya fuckelii 242
Tilletia **see** 70
Titaeospora detospora 70
Tomentella 493; atrorubra 495; avellanea 496; bresadolae 495; bryophila 495; calcicola 493; chlorina 493; cinerascens 494; lateritia 494; nitellina 494; ochracea 496; olivascens 496; ramosissima 496; rubiginosa 495; ruttneri 495; sublilacina 496; subvinosa 494; terrestris 494
Tomentellastrum 492; floridanum 492
Tomentellina 492; fibrosa 492
Torula herbarum 70
Trametes **see** 70
Tranzschelia 9, **see** 70; cohaesa 3, 9
Trechispora byssinella 271
Tremella 481; mesenterica 481
Trichia 238; affinis 322; alpina 303, 321; botrytis 303, 321; contorta 303, 321; v attenuata 322; v inconspicua 321; decipiens 303, 322; v decipiens 322; v olivacea 322; fallax 322; favoginea 303, 322; flavicoma 321; floriformis 304, 322; lutescens 304, 322; persimilis 322; scabra 304, 322; subfusca 304, 323; varia 304, 323
Trichocladium asperum 371
Tricholomopsis 498, 500; decora 500; rutilans 500; streetsii 500
Trichothecium roseum 371, 378
Triplosporium 229, 230; fresenii 220
Tryblidiopsis 244; pinastri 244
Tryblidium alpinum 243
Tuberculina persicina 70
Tubifera ferruginosa 302, 314
Tubulicrinis 428; gracillima 430, 441, 442
Tubulina cylindrica 314
Tulasnella 482; pruinosa 482; violea 482
Tylopilus 116–118; sect Scrobiculati 118; conicus 120; venezuelae 122, 126–128, 132
Tympanis 256; confusa 256; pseudotsugae 256
Typhulochaeta japonica 70

Ulocladium botrytis 371; chartarum 371
Uncinula salicis 70
Unguicularia 503–505, 507, 509; millepunctata 506; unguiculata 509
Unguiculariopsis 503, 504, 509
Unguiculella 503–505, 509, 511; hamulata 504, 505; rehmii 504–507, 510, 511
Urceolella 503–506, 508, 510; subg **Urceolella** 503, 506, 508, **510;** subg **Hyalacrotes** 503, 506–508, **510;** crispula 510; **hamulata** 505, 507, **510,** 511
Uredinopsis **see** 70
Uredo mycophila 392
Urocystis agropyri 70
Uromyces 17, 19, **see** 70–72; appendiculatus 16, 19; beloperones 5, 19; betae 5, 20; compactus 5, 19; eragrostidis 10, 19; euphorbiae 11, 19; giganteus 18, 19; indigoferae 13, 19; intricatus 10, 19; limonii 13, 19; ornatipes 16, 17; punctatus 5, 19; setariae-italicae 10, 19; shearianus 5, 17; socius 17, 18; sonorensis 15, 19; striatus 15, 20; tranzschelii 11, 19; viciae-fabae 49
Urophlyctis pluriannulatus 72
Uropyxis 5; daleae v eysenhardtiae 5, 11; nissoliae 5, 16
Ustilago **see** 72

Vaginata 175
Valsa 475, 476; nivea 72
Vararia 487, 488; athabascensis 489; granulosa 488; investiens 489; racemosa 489
Varicosporium 371
Venenarius 175; abruptiformis 176; alliaceus 176; anisatus 177; cylindrisporiformis 177; flavescens 178; fraternus 180; gemmatus v volvatus 180; maculans 181; malodorus 181; mappa v tenuipes 182; margarita 182; odoriferus 184; pantherinoides 184;

[Venenarius] parviformis 185; parvus 185; praegemmatus 186; praelongisporus 187; pseudovernus 188; rhoadsii 188; roanokensis f inodora 189; roseitinctus 189; solitariiformis 190; spretellus 190; suballiaceus 191; subcitriniceps 191; submutabilis 192; subphalloides 192; subrecutitus 193; subsolitarius 193; subvirginianus 194; tenuifolius 194; umbrinidiscus 195; vernellus 196; verniformis 196; virginianus 197; virosiformis 197; watsonianus 198; wellsii 198; westii 199
Verticillium 236, 388, 390, 396, 398; fungicola 375, 400, 402, 403
Vesiculomyces 208

Xenasma 428; dussii 430, 438
Xenasmatella 209
Xeromphalina 498; campanella 498
Xerulina asprata 411
Xylobolus 208

Zoophthora 226, 227, 229, 230; subg Erynia 226, 227, 229, 230; subg Pandora 227, 230; subg Zoophthora 227, 230, 231; aphidis 220, 221, 227; erinacea 219, 222, 224, 226, 227, 230, 231; montana 219, 226; occidentalis 231

## ERRATA, VOLUME NINE

Page 370, line 8: *for* delim- *read* delimit

## ERRATA, VOLUME TEN

10(1) *Cover*, line 57: *for* July 13, *read* July 19,
Page 7, line 3: for *sonorica* read *sonorica* v. *sonorica*
29 29-30: *for* kuehnii) (Kuehn) *read* kuehnii
50 46: *for* ANTHROCOIDEA *read* ANTHRACOIDEA
108 34: for *H.* read *Hygrophorus*
120 16: *for* var. *conicus* (Rav. *apud* B. & C.) Wolfe. *read* (Rav. *apud* B. & C.) Wolfe var. *conicus*.
122 37: for *B. violaceiporus* read *Boletellus violaceiporus*
126 13: for *B. violacei-* read *Boletellus violacei-*
140 31: for *A. tuberculatum* read *Arthroderma tuberculatum*
178 28-29: *for* 285-579. *read* 499.
185 17: for *Amanit* read *Amanita*
189 3: *for* f. *inodora* (Coker) Murrill *read* (Coker) Murrill f. *inodora* Murrill
193 23: for *Amanits* read *Amanita*
202 23: for *Hyphochicium* read *Hypochnicium*
204 9: for *A. amylacea* read *Amyloathelia amylacea*
207 35: *for* characteristica *read* characteristics
234 37-39: *substitute* Figure 1: A-F B. musae IMI 235790 A) Synnema B) terminal ornamentations C) lateral ornamentations D) conidia E) lateral phialide with developing conidium F) terminal phialides
236 13: *insert* 174318 *between* material *and* in
243 43: for *gaminum* read *graminum*
290 18: for *P.* read *Pocillopycnis*
370 35: for *Gliosporium* read *Gloeosporium*
392 10: for *chrysosperma* read *chrysospermum*
408 20: for *Cladosporium fulva* read *Cladosporium fulvum*
423 39: for *S.* read *Sclerotinia*
428 13: *for* eight *read* nine
14: after *(6)*, insert *Rogersella (1)*,
430 47: for HUILCA read HIULCA
433 9: for *P.* read *Peniophora*
436 32: for *cremea* read *cremeum*